

LAUDO TÉCNICO DE AMIANTO BRANCO, CRISOTILA
WHITE CHRYSOTILE FIBER DATA SHEET

Para/To: RAMCO INDUSTRIES LTD

Attn.: Controle de Qualidade/Quality Assurance Department

Invoice Nr.: 0000549E22

Cód. Mat./Mat. Id.: 4X Ordem de Venda/Order Nr.: 84742

Número do lote/Lot number	220512D1
Quantidade/Quantity (t)	9,00
Québec (oz)	1/2"
	4 mesh
	10 mesh
	Fundo/Pan
Turner Newall (%)	7 mesh
	14 mesh
	25 mesh
	50 mesh
	200 mesh
	-200 mesh
Indice Comprimento/Lenght Index	586
Lavagem/Wash Test (%)	39,2
Bauer Mcnett (%)	4 mesh
	14 mesh
	35 mesh
	100 mesh
	200 mesh
	-200 mesh
Rotap (%)	6 mesh
	10 mesh
	14 mesh
	20 mesh
	28 mesh
	35 mesh
	65 mesh
	Fundo/Pan
Blaine Dyckerhoff (cm ² /g)	
Umidade/Moisture (%)	2,0
Pedrisco/Grit (%)	0,01
Areia Grossa/Coarse Sand (%)	0,14
Areia Fina/Fine Sand (%)	0,46
Magnetita/Magnetite (%)	
Volume Úmido/Wet Volume (ml)	920
Filtração/Freeness (s)	
Feixe/Crudy (%)	
Densidade/Density (g/cm ³)	
Cor/Color (padrão/standard)	4,0
Unidade Resistência/Strenqht Unit	105,8

Observação/Remark:

- Testes realizados conforme o "MANUAL DE TESTES DO AMIANTO CRISOTILA" publicado pela QAMA (Associação das Mineradoras de Amianto do Quebec), 3a edição de 1974, revisada em 1978.
- Testing methods according to Chrysotile Asbestos Test Manual, a publication of QAMA (Quebec Asbestos Mining Association), 3rd edition 1974, revised 1978.

LAUDO TÉCNICO DE AMIANTO BRANCO, CRISOTILA
WHITE CHRYSOTILE FIBER DATA SHEET4x - 45
42 - 225

Bilya

Para/To: RAMCO INDUSTRIES LTD

Attn.: Controle de Qualidade/Quality Assurance Department

Invoice Nr.: 0000549E22

Cód. Mat./Mat. Id.: 4X Ordem de Venda/Order Nr.: 84742

Número do lote/Lot number	220512D1
Quantidade/Quantity (t)	13,50
Québec (oz)	1/2"
	4 mesh
	10 mesh
	Fundo/Pan
Turner Newall (%)	7 mesh
	14 mesh
	25 mesh
	50 mesh
	200 mesh
	-200 mesh
Índice Comprimento/Length Index	586
Lavagem/Wash Test (%)	39,2
Bauer Mcnett (%)	4 mesh
	14 mesh
	35 mesh
	100 mesh
	200 mesh
	-200 mesh
Rotap (%)	6 mesh
	10 mesh
	14 mesh
	20 mesh
	28 mesh
	35 mesh
	65 mesh
	Fundo/Pan
Blaine Dyckerhoff (cm ² /g)	
Umidade/Moisture (%)	2,0
Pedrisco/Grit (%)	0,01
Areia Grossa/Coarse Sand (%)	0,14
Areia Fina/Fine Sand (%)	0,46
Magnetita/Magnetite (%)	
Volume Úmido/Wet Volume (ml)	920
Filtração/Freeness (s)	
Feixe/Crudy (%)	
Densidade/Density (g/cm ³)	
Cor/Color (padrão/standard)	4,0
Unidade Resistência/Strenqht Unit	105,8

Observação/Remark:

- Testes realizados conforme o "MANUAL DE TESTES DO AMIANTO CRISOTILA" publicado pela QAMA (Associação das Mineradoras de Amianto do Québec), 3a edição de 1974, revisada em 1978.
- Testing methods according to Chrysotile Asbestos Test Manual, a publication of QAMA (Quebec Asbestos Mining Association), 3rd edition 1974, revised 1978.

0522216/19

LAUDO TÉCNICO DE AMIANTO BRANCO, CRISOTILA
WHITE CHRYSOTILE FIBER DATA SHEET

Para/To: RAMCO INDUSTRIES LTD

Attn.: Controle de Qualidade/Quality Assurance Department

Invoice Nr.: 0000609E22

Cód. Mat./Mat. Id.: 4Z Ordem de Venda/Order Nr.: 84835

Número do lote/Lot number	220526B2	220526A2
Quantidade/Quantity (t)	11,25	11,25
Quebec (oz)	1/2"	0,0
	4 mesh	7,9
	10 mesh	5,4
	Fundo/Pan	2,7
Turner Newall (%)	7 mesh	6,4
	14 mesh	16,2
	25 mesh	15,4
	50 mesh	9,6
	200 mesh	11,1
	-200 mesh	41,3
Indice Comprimento/Lenght Index	477	493
Lavagem/Wash Test (%)	41,3	43,9
Bauer Mcnett (%)	4 mesh	
	14 mesh	
	35 mesh	
	100 mesh	
	200 mesh	
	-200 mesh	
Rotap (%)	6 mesh	
	10 mesh	
	14 mesh	
	20 mesh	
	28 mesh	
	35 mesh	
	65 mesh	
	Fundo/Pan	
Blaine Dyckerhoff (cm ² /g)		
Umidade/Moisture (%)	2,3	2,4
Pedrisco/Grit (%)	0,02	0,03
Areia Grossa/Coarse Sand (%)	0,15	0,19
Areia Fina/Fine Sand (%)	0,44	0,47
Magnetita/Magnetite (%)		
Volume Úmido/Wet Volume (ml)	950	950
Filtração/Freeness (s)		
Feixe/Crudy (%)		
Densidade/Density (g/cm ³)		
Cor/Color (padrão/standard)	7,0	4,0
Unidade Resistência/Strenght Unit	98,2	97,3

Observação/Remark:

- Testes realizados conforme o "MANUAL DE TESTES DO AMIANTO CRISOTILA" publicado pela QAMA (Associação das Mineradoras de Amianto do Quebec), 3a edição de 1974, revisada em 1978.
- Testing methods according to Chrysotile Asbestos Test Manual, a publication of QAMA (Quebec Asbestos Mining Association), 3rd edition 1974, revised 1978.

LAUDO TÉCNICO DE AMIANTO BRANCO, CRISOTILA
WHITE CHRYSOTILE FIBER DATA SHEET

ME00P118812
42
135
Bimya

Para/To: RAMCO INDUSTRIES LTD
Attn.: Controle de Qualidade/Quality Assurance Department
Invoice Nr.: 0000609E22
Cód. Mat./Mat. Id.: 4Z Ordem de Venda/Order Nr.: 84835

Número do lote/Lot number	220521F3	220526B2	
Quantidade/Quantity (t)	2,25	20,25	
Quebec (oz)	1/2"	0,0	0,0
	4 mesh	6,7	7,9
	10 mesh	6,1	5,4
	Fundo/Pan	3,2	2,7
Turner Newall (%)	7 mesh	10,4	6,4
	14 mesh	11,8	16,2
	25 mesh	14,4	15,4
	50 mesh	7,6	9,6
	200 mesh	9,4	11,1
	-200 mesh	46,4	41,3
Indice Comprimento/Lenght Index	507	477	
Lavagem/Wash Test (%)	46,4	41,3	
Bauer Mcnett (%)	4 mesh		
	14 mesh		
	35 mesh		
	100 mesh		
	200 mesh		
	-200 mesh		
Rotap (%)	6 mesh		
	10 mesh		
	14 mesh		
	20 mesh		
	28 mesh		
	35 mesh		
	65 mesh		
	Fundo/Pan		
Blaine Dyckerhoff (cm²/g)			
Umidade/Moisture (%)	2,2	2,3	
Pedrisco/Grit (%)	0,02	0,02	
Areia Grossa/Coarse Sand (%)	0,13	0,15	
Areia Fina/Fine Sand (%)	0,48	0,44	
Magnetita/Magnetite (%)			
Volume Úmido/Wet Volume (ml)	910	950	
Filtração/Freeness (s)			
Feixe/Crudy (%)			
Densidade/Density (g/cm³)			
Cor/Color (padrão/standard)	7,0	7,0	
Unidade Resistência/Strenght Unit	97,5	98,2	

Observação/Remark:

- Testes realizados conforme o "MANUAL DE TESTES DO AMIANTO CRISOTILA" publicado pela QAMA (Associação das Mineradoras de Amianto do Quebec), 3a edição de 1974, revisada em 1978.
- Testing methods according to Chrysotile Asbestos Test Manual, a publication of QAMA (Quebec Asbestos Mining Association), 3rd edition 1974, revised 1978.

EMPLOYEE DETAILS

NAME: Dilip Kumar Singh EMPLOYEE CODE: 69006
AGE/SEX: 39 DESIGNATION: RIL MOBILE NO: 9304039953
DATE: 24/06/22 LAB ID:

EMPLOYEE EXAMINATION

HEIGHT: 170 WEIGHT: 62 BMI: CHEST:
BP: 110/80 MM HG SPO2: PULSE RATE: 78 /MIN

EMPLOYEE EXAMINATION HISTORY

HYPERTENSION: EPILEPSY: DIABETES:
RESPIRATORY SYSTEM: CVS: normal CNS: normal PER ABDOMEN: normal

PHYSICIAN ADVICE: medically / physically fit

IT IS CERTIFIED THAT MR. Dilip Kumar Singh EMPLOYED WITH
COMING IN DIRECT CONTACT WITH
HAS BEEN CAREFULLY EXAMINED AS MENTIONED ABOVE AND
BASED ON THE MEDICAL EXAMINATION CONDUCTED, HE IS FOUND FREE FROM
ANY INFECTIOUS OR COMMUNICABLE DISEASES AND THE PERSON IS FIT TO
WORK IN THE ABOVE MENTIONED ESTABLISHMENT.



EMPLOYEE SIGNATURE:


Dr. Sujeet Sobhraj
MBBS (Reg No- 51622)

MEDICAL EXAMINER:

INVESTIGATIONS DONE:

ECG ☐ PFT ☒ BLOOD TEST ☒ AUDIOMETRY ☒ EYE ☒
URINE ☒ SPUTUM ☒ XRAY ☐ DOCTOR CONSULTATION ☒

CLINICAL CORRELATION IS ESSENTIALS FOR FINAL DIAGNOSIS

SMK India Lifecare Pvt Ltd

2, Italdacha Road, Chiran Apartment, 6F, Airport I No. Gate, Kolkata- 700 078

Phone: +91 9830328500 / +91 8336087590 / +91-33-46018688

RIL (69006)

Case name: Dilip Kumar Singh



Date:

Age/Gender m/39

Referred By:

Key to Symbols

MODALITY	RIGHT	BOTH	LEFT
AIR CONDUCTION			
UNWEIGHED	○	×	×
WEIGHED	△	□	□
W-H RESPONSE	○	×	×
W-H RESPONSE	△	□	□
W-H CONDUCTION IMPAIR			
UNWEIGHED	< >		
WEIGHED	[]		
W-H RESPONSE	< >		
W-H RESPONSE	[]		
W-H CONDUCTION IMPAIR			
UNWEIGHED	Y		
WEIGHED	I		
W-H RESPONSE	Y		
W-H RESPONSE	I		
W-H CONDUCTION IMPAIR	○	×	×
UNWEIGHED	○	×	×



	PTA (dB HL)	SAT (dB HL)	SRT	P	MCL (dB HL)	UCL (dB HL)
RIGHT EAR	18.34					
LEFT EAR	16.67					

Provisional Diagnosis:

RIGHT EAR:

LEFT EAR:

o/c Normal hearing with in limit

RECOMMENDATIONS:

Naveen Kumar
Audiologist
Reg No- B52599
Audiologist

CLINICAL CORRELATION IS ESSENTIALS FOR FINAL DIAGNOSIS

Eye Check-up Test

Name: <u>Dilip Kumar Singh</u>	Age/Sex: <u>39/M</u>
Employee Id: <u>69006</u>	Division: <u>DR</u>
Ref By:	Date: <u>24-06-22</u>

Basic Eye:

Conjunctiva: Normal / pallor / icterus / Inflammation / pterygium / Bitot's spots /
WH

Eyelids: Normal/posies/style: WH

Eye Movement: Normal WH

Cornea: Normal/- Clear

Distant vision right eye without glasses:- 6/6

Distant vision left eye without glasses:- 6/6

Distant vision right eye with glasses:- _____

Distant vision left eye with glasses:- _____

Near vision right eye without glasses:- N16

Near vision left eye without glasses:- N16

Near vision right eye with glasses:- _____

Near vision left eye with glasses:- _____

Colour Vision: (Out of 17 numbered plates)/ Normal

	SPH	CYL	AXIS	ADD
RE				
LE				

Type: Single/Bifocal/Progressive Glass

Remarks :

Lucky Singh
LUCKY SINGH
 Reg.No.-0086:
 DGA (PMCH)
 Signature

CLINICAL CORRELATION IS ESSENTIALS FOR FINAL DIAGNOSIS

SMK India Lifecare Pvt Ltd

4, Italnacha Road, Chiran Apartment, GF, Airport I No. Gate, Kolkata- 700 028 | Phone: +91 9830328500 / +91 8336087590 / +91-33-46018688



**PHARMA | OHC
DIAGNOSTICA**

A Unit of SMK India Lifecare Pvt Ltd

ACCURACY | AFFORDABILITY | ARTIFICIAL INTELLIGENCE

Center Name : SMK India Lifecare Pvt Ltd

Kolkata Center

Bill No# : BL/2122/2011

Patient's Name : Mr. DILIP KR SINGH (RIL)

Referred By : From RAMCO INDUSTRIES LTD, BIHAR

Lab ID# : 20220627/49

Collection Date : 27/06/2022 21:00

Reporting Date : 28/06/2022 17:41

Age / Gender : 39 Year(s)/Male

Specimen At : OPD

RAMCO INDUSTRIES LTD - 625.00

. MICROBIOLOGY EXAMINATION

Investigations	Observed Value	Unit	Reference - Range
Sputum for A.F.B	Not Found		Not Found

Dr. S. B. Mukherjee
M.B.B.S (Cal) D. T. M. & H.
Consultant Pathologist

Mrs. Monica Maity
M.Sc. (Biochemistry)
Consultant Biochemist

CLINICAL CORRELATION IS ESSENTIALS FOR FINAL DIAGNOSIS

SMK India Lifecare Pvt Ltd

SMK India Lifecare Pvt Ltd, 10/1, Bhatia Road, Phase II, Apartment 10/1, Bhatia Road, Kolkata - 700 000 | Phone: 033-25555555 / 033-25555556 / 033-25555557

**PHARMA | OHC
DIAGNOSTICA**

A Unit of SMK India Lifecare Pvt Ltd

Center Name : SMK India Lifecare Pvt Ltd

Kolkata Center

Bill No# : BL/2122/2011

Patient's Name : Mr. DILIP KR SINGH (RIL)

Referred By : From RAMCO INDUSTRIES LTD, BIHAR

Lab ID# : 20220627/49

Collection Date : 27/06/2022 21:00

Reporting Date : 28/06/2022 17:41

Age / Gender : 39 Year(s)/Male

Specimen At : OPD


RAMCO INDUSTRIES LTD - 625.00
. HAEMATOLOGY EXAMINATION

Investigations	Observed Value	Unit	Reference - Range
COMPLETE BLOOD COUNT (C. B. C.) With E.S.R			
Haemoglobin	14.12 gm/dl (96.3%)		12.0 — 17.5 gm/dl
Red Blood Cells (RBC) Count	4.95	x10 ⁶ /uL	3.80 — 5.80
PCV / Haematocrit (HCT)	43.2	%	30.0 — 50.0
Mean Cell Volume (MCV)	87.27	fl	80.0 — 99.0
Mean Cell Haemoglobin (MCH)	28.53	pg	26.5 — 33.5
Mean Cell Hb. Concentration (MCHC)	32.69	g/dl	32.0 — 36.0
RBC Distribution Width RDW	13.6	%	10 — 16
Mean Plasma Volume (MPV)	8.5	fl	7.0 — 11.0
Platelet Count	207	x10 ³ /uL	140.0 — 400.0
Platelet Distribution Width (PDW)	15.2	fl	10.0 — 18.0
Total Leucocyte Count (TLC)	7.1	x10 ³ /uL	4.0 — 10.0
Differential Leucocyte Count (DLC)			
Neutrophil	52	%	45.0 — 65.0
Lymphocyte	38	%	25.0 — 45.0
Eosinophil	04	%	1.0 — 6.0
Monocyte	06	%	2.0 — 10.0
Basophil	00	%	0.0 — 1.0
Absolute Neutrophil Count	3.69	x10 ³ /uL	1.8 — 6.5
Absolute Lymphocyte Count	2.7	x10 ³ /uL	1.0 — 4.5
Absolute Eosinophil Count	0.28	x10 ³ /uL	0.1 — 0.6
Absolute Monocyte Count	0.43	x10 ³ /uL	0.2 — 1.0
Absolute Basophil Count	0	x10 ³ /uL	0.0 — 0.1

Continue On Next Page



Dr. S. B. Mukherjee
M.B.B.S (Cal) D. T. M. & H.
Consultant Pathologist



Mrs. Monica Maity
M.Sc. (Biochemistry)
Consultant Biochemist

CLINICAL CORRELATION IS ESSENTIALS FOR FINAL DIAGNOSIS
SMK India Lifecare Pvt Ltd

& Italganga Road Phirsa Apartment EE Airport (M. C. P.) Kolkata - 700 020 | Phone : 033 22222222 / 033 22222222 / 033 22222222

Center Name : SMK India Lifecare Pvt Ltd

Kolkata Center

Bill No# : BL/2122/2011

Patient's Name : Mr. DILIP KR SINGH (RIL)

Referred By : From RAMCO INDUSTRIES LTD, BIHAR

Lab ID# : 20220627/49

Collection Date : 27/06/2022 21:00

Reporting Date : 28/06/2022 17:41

Age / Gender : 39 Year(s)/Male


Specimen At : OPD

RAMCO INDUSTRIES LTD - 625.00


. HAEMATOLOGY EXAMINATION

Investigations	Observed Value	Unit	Reference - Range
Erythrocyte Sedimentation Rate			
First Hour	12	mm/hr	0 — 20
Second Hour	12	mm/hr	0 — 20
Ratio	9		0 — 15


WBC Curve




RBC Curve



Platelet Curve



Cell Population



Dr. S. B. Mukherjee
M.B.B.S (Cal) D. T. M. & H.
Consultant Pathologist

Mrs. Monica Maity
M.Sc. (Biochemistry)
Consultant Biochemist

CLINICAL CORRELATION IS ESSENTIALS FOR FINAL DIAGNOSIS

SMK India Lifecare Pvt Ltd

**PHARMA | OHC
DIAGNOSTICA**

A Unit of SMK India Lifecare Pvt Ltd

Center Name : SMK India Lifecare Pvt Ltd

Kolkata Center

Bill No# : BL/2122/2011**Patient's Name** : Mr. DILIP KR SINGH (RIL)**Referred By** : From RAMCO INDUSTRIES LTD, BIHAR**Lab ID#** : 20220627/49**Collection Date** : 27/06/2022 21:00**Reporting Date** : 28/06/2022 17:41**Age / Gender** : 39 Year(s)/Male**Specimen At** : OPD**RAMCO INDUSTRIES LTD - 625.00****. URINE EXAMINATION**

Investigations	Observed Value	Unit	Reference - Range
Routine Examination of Urine			
PHYSICAL EXAMINATION			
Quantity	10	ml	
Colour	Light Yellowish		
Appearance	Clear		
Sediment	Nil		
Specific Gravity	1.020		1.000 — 1.030
Urates	Nil		
CHEMICAL EXAMINATION			
pH	6.7		
Reaction	Acidic		
Sugar	Nil (.)		
Albumin	Nil		
Phosphate	Nil.		
Others	Nil		
MICROSCOPIC EXAMINATION			
Erythrocytes	Nil	/hpf	
Pus Cells	Nil	/hpf	
Epithelial Cells	Nil	/hpf	
CASTS	Nil	/hpf	
CRYSTALS	Nil	/hpf	
Others	Nil	/hpf	

Dr. S. B. Mukherjee
M.B.B.S (Cal) D. T. M. & H.
Consultant Pathologist

Mrs. Monica Maity
M.Sc. (Biochemistry)
Consultant Biochemist

CLINICAL CORRELATION IS ESSENTIALS FOR FINAL DIAGNOSIS**SMK India Lifecare Pvt Ltd**

A-4, Indraprastha Road, Chhinnu Apartment, EE, Airport I No. Estate, Kolkata - 700 072 | Phone: +91 9830328500 / +91 8336087590 / +91-33-46018688