

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120241

Sample Description# : Indoor Air Quality

Sample Location : Moulding Section

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : OSHA Standard

General Information

Date of Monitoring : 08.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Indoor Air Quality Parameters			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.022	0.1

represents Customer Defined Fields ** represent the parameters are not covered under NABL

NOTE : Instrument Used: Handy Sampler

REMARKS : The above sample complies with OSHA norms with respect to the above tested Parameters

*****End Of Report*****


18-02-2020
Sakthivel
Verified by

M. VIJAYANAND
Section In-Charge
Environment Section


18-02-2020
Tharun Kumar
Authorised by

T. THARUN KUMAR
Deputy Manager
Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,
Perungudi, Sholinganallur Taluk, Chennai - 600 096.
Ph : 044 - 24962512
Email : itclabs.chennai@itclabs.com
Website : www.itclabs.com

Disclaimer :

- > The test result related only to the items tested
- > The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- > The test items shall not be retained more than 15 days from the date of issue of

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120242

Sample Description# : Indoor Air Quality

Sample Location : Auto Box

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : OSHA Standard

General Information

Date of Monitoring : 08.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Indoor Air Quality Parameters			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.018	0.1

represents Customer Defined Fields ** represent the parameters are not covered under NABL

NOTE : Instrument Used: Handy Sampler

REMARKS : The above sample complies with OSHA norms with respect to the above tested Parameters

*******End Of Report*******

for gmv
18-02-2020
Sakthivel
Verified by

M. VIJAYANAND
Section In-Charge
Environment Section

T. Tharun Kumar
18-02-2020
Tharun Kumar
Authorised by

T. THARUN KUMAR
Deputy Manager
Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,
Perungudi, Sholinganallur Taluk, Chennai - 600 096.
Ph : 044 - 24962512
Email : itclabs.chennai@itclabs.com
Website : www.itclabs.com

Disclaimer :

- > The test result related only to the items tested
- > The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- > The test items shall not be retained more than 15 days from the date of issue of test report

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120243

Sample Description# : Indoor Air Quality.

Sample Location : BOD Area

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : TestRequestForm/10.2.2020

Test Report as per : OSHA Standard

General Information

Date of Monitoring : 08.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Indoor Air Quality Parameters			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.012	0.1

represents Customer Defined Fields ** represent the parameters are not covered under NABL

NOTE : Instrument Used: Handy Sampler

REMARKS : The above sample complies with OSHA norms with respect to the above tested Parameters

*****End Of Report*****

for gny
18-02-2020
Sakthivel
Verified by

M. VISAYANAND
Section In-Charge
Environment Section

for gny
18-02-2020
Tharun Kumar
Authorised by

T. THARUN KUMAR
Deputy Manager
Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,
Perungudi, Sholinganallur Taluk, Chennai - 600 096.
Ph : 044 - 24962512
Email : itclabs.chennai@itclabs.com
Website : www.itclabs.com

Disclaimer :

- The test result related only to the items tested
- The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- The test items shall not be retained more than 15 days from the date of issue of test report

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120244

Sample Description# : Indoor Air Quality

Sample Location : Slurry Mixer

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : OSHA Standard

General Information

Date of Monitoring : 08.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Indoor Air Quality Parameters			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.007	0.1

'#' represents Customer Defined Fields '**' represent the parameters are not covered under NABL

NOTE : Instrument Used: Handy Sampler

REMARKS : The above sample complies with OSHA norms with respect to the above tested Parameters

*****End Of Report*****

for gwr
18-02-2020
Sakthivel
Verified by
M. VISAYANANE
Section In-Charge
Environment Section.

T. Tharun Kumar
18-02-2020
Tharun Kumar
Authorised by

T. THARUN KUMAR
Deputy Manager
Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2,S.No.12/2A, Industrial Estate,
Perungudi, Sholinganallur Taluk, Chennai - 600 096.
Ph : 044 - 24962512
Email : itclabs.chennai@itclabs.com
Website : www.itclabs.com

Disclaimer :

- > The test result related only to the items tested
- > The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- > The test items shall not be retained more than 15 days from the date of issue of test report except in the case of retest.

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120245

Sample Description# : Indoor Air Quality

Sample Location : Cutter off

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : OSHA Standard

General Information

Date of Monitoring : 08.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Indoor Air Quality Parameters			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.009	0.1

represents Customer Defined Fields * represent the parameters are not covered under NABL

NOTE : Instrument Used: Handy Sampler

REMARKS : The above sample complies with OSHA norms with respect to the above tested Parameters

*******End Of Report*******

for gni
18-02-2020
Sakthivel
Verified by
M. SIVANANDAN
Section In-Charge
Environment Section

T. Tharun Kumar
18-02-2020
Tharun Kumar
Authorised by

T. THARUN KUMAR
Deputy Manager
Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,
Perungudi, Sholinganallur Taluk, Chennai - 600 096.
Ph : 044 - 24962512
Email : itclabs.chennai@itclabs.com
Website : www.itclabs.com

Disclaimer :

- > The test result related only to the items tested
- > The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- > The test items shall not be retained more than 15 days from the date of issue of test report except in the case as specified by the client

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120246

Sample Description# : Indoor Air Quality

Sample Location : stripping Area

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : OSHA Standard

General Information

Date of Monitoring : 09.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Indoor Air Quality Parameters			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.024	0.1

represents Customer Defined Fields ** represent the parameters are not covered under NABL

NOTE : Instrument Used: Handy Sampler

REMARKS : The above sample complies with OSHA norms with respect to the above tested Parameters

*****End Of Report*****

18-02-2020

Sakthivel

Verified by

JAYANAND

Section In-Charge

Environment Section

18-02-2020

Tharun Kumar

Authorised by

T. THARUN KUMAR

Deputy Manager

Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,

Perungudi, Sholinganallur Taluk, Chennai - 600 096.

Ph : 044 - 24962512

Email : itclabs.chennai@itclabs.com

Website : www.itclabs.com

Disclaimer :

- > The test result related only to the items tested
- > The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- > The test items shall not be retained more than 15 days from the date of issue of test report except in the case of litigation

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120247

Sample Description# : Indoor Air Quality

Sample Location : Fibre Godown

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : OSHA Standard

General Information

Date of Monitoring : 09.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Indoor Air Quality Parameters			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.012	0.1

'#' represents Customer Defined Fields '*' represent the parameters are not covered under NABL

NOTE : Instrument Used: Handy Sampler

REMARKS : The above sample complies with OSHA norms with respect to the above tested Parameters

*****End Of Report*****

[Signature]
18-02-2020
Sakthivel
Verified by

M. VIJAYANAN
Section In-Charg
Environment Section

[Signature]
18-02-2020
Tharun Kumar
Authorised by

T. THARUN KUMAR
Deputy Manager
Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,
Perungudi, Sholinganallur Taluk, Chennai - 600 096.
Ph : 044 - 24962512
Email : itclabs.chennai@itclabs.com
Website : www.itclabs.com

Disclaimer :

- The test result related only to the items tested
- The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- The test items shall not be retained more than 15 days from the date of issue of test report except in the case of litigation.

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120248

Sample Description# : Indoor Air Quality

Sample Location : Pulverizer Area

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : OSHA Standard

General Information

Date of Monitoring : 09.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Indoor Air Quality Parameters			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.010	0.1

'#' represents Customer Defined Fields '*' represent the parameters are not covered under NABL

NOTE : Instrument Used: Handy Sampler

REMARKS : The above sample complies with OSHA norms with respect to the above tested Parameters

*******End Of Report*******

18-02-2020

Sakthivel

Verified by

**Section In-Charge -
Environment Section**

18-02-2020

Tharun Kumar

Authorised by

T. THARUN KUMAR
Deputy Manager
Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,

Perungudi, Sholinganallur Taluk, Chennai - 600 096.

Ph : 044 - 24962512

Email : itclabs.chennai@itclabs.com

Website : www.itclabs.com

Disclaimer :

- > The test result related only to the items tested
- > The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- > The test items shall not be retained more than 15 days from the date of issue of test report except in the case of retest.

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120249

Sample Description# : Indoor Air Quality

Sample Location : Ball Mill Area

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : OSHA Standard

General Information

Date of Monitoring : 09.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Indoor Air Quality Parameters			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.035	0.1

'#' represents Customer Defined Fields '**' represent the parameters are not covered under NABL

NOTE : Instrument Used: Handy Sampler

REMARKS : The above sample complies with OSHA norms with respect to the above tested Parameters

*****End Of Report*****

18-02-2020

Sakthivel

Verified by

JAYANAN

Section In-Charge
Environment Section

18-02-2020

Tharun Kumar

Authorised by

T. THARUN KUMAR
Deputy Manager
Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,
Perungudi, Sholinganallur Taluk, Chennai - 600 096.

Ph : 044 - 24962512

Email : itclabs.chennai@itclabs.com

Website : www.itclabs.com

Disclaimer :

- The test result related only to the items tested
- The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- The test items shall not be retained more than 15 days from the date of issue of test report except in the case of special request.

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120250

Sample Description# : Stack Monitoring

Sample Location : Fibre Stack

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : As per CPCB Guideline

General Information

Date of Monitoring : 09.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Stack Monitoring			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.126	0.2

represents Customer Defined Fields ** represent the parameters are not covered under NABL

NOTE : Instrument Used : Stack Sampler.

REMARKS : The above sample complies to CPCB norms with respect to the above tested Parameters

*******End Of Report*******

for gmf
18-02-2020
Sakthivel
Verified by
M. VIJAYANANTH
Section In-Charge
Environment Section

T. THARUN KUMAR
18-02-2020
Tharun Kumar
Authorised by

T. THARUN KUMAR
Deputy Manager
Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,
Perungudi, Sholinganallur Taluk, Chennai - 600 096.
Ph : 044 - 24962512
Email : itclabs.chennai@itclabs.com
Website : www.itclabs.com

Disclaimer :

- The test result related only to the items tested
- The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- The test items shall not be retained more than 15 days from the date of issue of test report except in the case of litigation.

Issued To

Ramco Industries Limited.,
Village - Dewanmaro Ayma, P.O-Hariatara, P.S-Kharagpur(L), Pachim Medinipur.
Kharagpur

Sample Registration No. : E02-2002120251

Sample Description# : Stack Monitoring

Sample Location : Pulveriser

Sample details (if any) :-

Received On : 12-02-2020

Commenced On : 12-02-2020

Completed On : 18-02-2020

Date of Report : 18-02-2020

Sample Submission Type : Sampled by Lab Rep.

Sampling Details : IS 11450-2006

Customer Reference# : Test Request Form/10.2.2020

Test Report as per : As per CPCB Guideline

General Information

Date of Monitoring : 09.02.20

S.No.	*Parameters	Method	Result	Specification
	Discipline : Chemical			
	Group : Atmospheric Pollution			
1.	Stack Monitoring			
a.	Asbestos Fibre Count (Fibre/cc)	IS 11450-2006	0.099	0.2

'#' represents Customer Defined Fields '**' represent the parameters are not covered under NABL

NOTE : Instrument Used : Stack Sampler.

REMARKS : The above sample complies to CPCB norms with respect to the above tested Parameters

*****End Of Report*****

18-02-2020

Sakthivel

Verified by

Section In-Charge

Environment Section

18-02-2020

Tharun Kumar

Authorised by

T. THARUN KUMAR

Deputy Manager

Environment Section

Interstellar Testing Centre Pvt. Ltd.

Plot No. 2.S.No.12/2A, Industrial Estate,
Perungudi, Sholinganallur Taluk, Chennai - 600 096.

Ph : 044 - 24962512

Email : itclabs.chennai@itclabs.com

Website : www.itclabs.com

Disclaimer :

- > The test result related only to the items tested
- > The test report shall not be reproduced in full or part without the written approval of ITC Labs, Chennai
- > The test items shall not be retained more than 15 days from the date of issue of test report